


Display stands and frame systems

Icons flat

Single stand
for foot plate**Dimensions****Characteristics**

Freely adjustable height.
Max. weight load = 35 kg
Drawing no.
314-201 Foot plate

Single stand
with castors

Freely adjustable height. Castors: Soft version with grey-coloured running tread.
Max. weight load = 35 kg

Single stand
with glides

Freely adjustable height.
Max. weight load = 35 kg

Order number

silver mat / chrome	<input type="radio"/> 122-494.65
silver mat / silk	<input type="radio"/> 122-494.69


Contains one upright with a T-extension.
Glides or castors must be ordered separately.

silver mat / chrome	<input type="radio"/> 122-461.65
silver mat / silk	<input type="radio"/> 122-461.69


Incl. T-extension.

silver mat / chrome	<input type="radio"/> 122-460.65
silver mat / silk	<input type="radio"/> 122-460.69

Incl. T-extension.



Waterfall stand
with castors




Freely adjustable height. Castors: Soft version with grey-coloured running tread.
Max. weight load = 25 kg per extension arm

silver mat / chrome ○ **122-459.65**
silver mat / silk ○ **122-459.69**

Incl. 4 straight extension arms, length 550 mm.

Waterfall stand
with glides




Freely adjustable height.
Max. weight load = 25 kg per extension arm

silver mat / chrome ○ **122-458.65**
silver mat / silk ○ **122-458.69**

Incl. 4 straight extension arms, length 550 mm.

Bar stand
for foot plate




Freely adjustable height.
Max. weight load = 90 kg
Drawing no.
314-203 Foot plate

silver mat / chrome ○ **122-495.65**
silver mat / silk ○ **122-495.69**

Contains 2 uprights with extension rails.
Order the glide or castor separately.

Bar stand
with castors



Freely adjustable height. Castors: Soft version with grey-coloured running tread.
Max. weight load = 90 kg


silver mat / chrome ○ **122-465.65**
silver mat / silk ○ **122-465.69**

Incl. extension rail.

Display stands and frame systems

Icons flat

Bar stand
with glides




Freely adjustable height.

Max. weight load = 90 kg

silver mat / chrome	○ 122-464.65
silver mat / silk	○ 122-464.69

Incl. extension rail.

Double bar stand
with castors




Freely adjustable height. Castors: Soft version with grey-coloured running tread.

Max. weight load = 90 kg per extension rail

silver mat / chrome	○ 122-463.65
silver mat / silk	○ 122-463.69

Incl. 2 extension rails.

Double bar stand
with glides




Freely adjustable height.

Max. weight load = 90 kg per extension rail

silver mat / chrome	○ 122-462.65
silver mat / silk	○ 122-462.69

Incl. 2 extension rails.

Cross stand
with castors




Freely adjustable height. Castors: Soft version with grey-coloured running tread.


Max. weight load = 25 kg per extension arm

silver mat / chrome	○ 122-499.65
silver mat / silk	○ 122-499.69

Incl. 4 straight extension arms, length 300 mm.



Cross stand
with glides




Freely adjustable height.
Max. weight load = 25 kg per extension arm

silver mat / chrome ◎ 122-500.65
silver mat / silk ◎ 122-500.69


Incl. 4 straight extension arms, length 300 mm.

Mirror
with castors Ø 50 mm




Double sided mirror, footplate with castors (Ø 50 mm with brake system).
Castors: Soft version with grey-coloured running tread.

Glide Ø 50 mm



Castor Ø 50 mm
with stopper



Castor: Soft version with grey-coloured running tread.

silver mat ◎ 119-175.48
black ● 902-251.06


black ● 954-204.06

Display stands and frame systems
Icons flat

Castor Ø 50 mm
with stopper and mounting plate



Castor: Soft version with grey-coloured running tread.




black ● 954-283.06

Scliss



100 x



Prevents scratches on hanging rails and front arms in silk or stainless steel.

To clip into coat hanger hook (Ø 3.4–3.8 mm).

transparent



● 929-449.02

Set of 100 pcs.

Sign holder socket
for waterfall stand





With 90° rotation.



Sign holder socket
for cross stand



With 90° rotation.




silver mat



● 385-037.48

silver mat

● 385-103.48



Sign holder socket



With 90° rotation.

Is screwed to hanging rail or front arm
Ø 25 mm.

chrome

● **929-990.01**


silk

● **929-990.30**

bright silver mistral

○ **929-990.66**

Sign holder
for Area 13




For vertical presentation. With 90° rotation.

Sign holder
for Area 13



For horizontal presentation. With 90° rotation.

Universal magnetic holder



For positioning and securing the sign.

chrome

100 mm DIN A 5 ○ **308-694.01**

300 mm DIN A 5 ○ **308-730.01**

500 mm DIN A 5 ○ **308-731.01**

100 mm DIN A 4 ○ **308-703.01**

300 mm DIN A 4 ○ **308-732.01**

500 mm DIN A 4 ○ **308-733.01**

bright silver mistral

100 mm DIN A 5 ○ **308-694.66**

300 mm DIN A 5 ○ **308-730.66**

500 mm DIN A 5 ○ **308-731.66**

100 mm DIN A 4 ○ **308-703.66**

300 mm DIN A 4 ○ **308-732.66**

500 mm DIN A 4 ○ **308-733.66**

chrome

100 mm DIN A 5 ○ **308-698.01**

300 mm DIN A 5 ○ **308-734.01**

500 mm DIN A 5 ○ **308-735.01**

100 mm DIN A 4 ○ **308-708.01**

300 mm DIN A 4 ○ **308-736.01**

500 mm DIN A 4 ○ **308-737.01**

bright silver mistral

100 mm DIN A 5 ○ **308-698.66**

300 mm DIN A 5 ○ **308-734.66**

500 mm DIN A 5 ○ **308-735.66**

100 mm DIN A 4 ○ **308-708.66**

300 mm DIN A 4 ○ **308-736.66**

500 mm DIN A 4 ○ **308-737.66**

silver

○ **981-939.05**