

















	<p>Mono R 4 holder set for wooden panels</p> 	<p>Shoe shelf for sideways display, straight for one shoe</p> 	<p>Shoe shelf for frontal display, 30° angle for one shoe</p> 
Dimensions			
Characteristics	<p>Max. weight load = 5 kg per holder</p> <p>ⓘ <i>Observe the assembly and operating instruction</i></p>	<p>Max. weight load = 2 kg</p>	<p>Max. weight load = 2 kg</p>
Order number	<p>silver ● 321-334.05</p> <p>white ● 321-334.23</p> <p>Set of 10 pcs with 4 screws per holder.</p>	<p>silver mat ● 247-346.48</p>	<p>silver mat ○ 247-358.48</p> <p>Incl. anti-slip ring.</p>



Shoe carrier for one shoe	Bracket for wooden shelf	Clamping bracket for glass shelf	Front arm, straight Ø 8 mm
			
			
<p>Max. weight load = 2 kg</p>	<p>Max. weight load = 2 kg per bracket Max. display depth = 320 mm</p> <p>📄 Drawing no. 314-295 Wooden shelf 16–19 mm</p> <p>⚠️ Observe the assembly and operating instruction</p>	<p>Max. weight load = 2 kg per bracket Max. display depth = 320 mm</p> <p>📄 Drawing no. 251-492 Glass shelf 5 mm</p>	<p>Max. weight load = 2 kg</p>
<p>silver mat ● 251-407.48</p>	<p>raw silk ● 251-408.31</p>	<p>silver mat ○ 251-421.48</p> <p>At least 2 brackets are required per shelf.</p>	<p>silver mat</p> <p>200 mm ○ 251-437.48</p> <p>300 mm ○ 251-438.48</p>

Sciss**100 x** 

Prevents scratches on hanging rails and front arms in silk or stainless steel.

To clip into coat hanger hook (Ø 3.4–3.8 mm).

transparent

● **929-449.02**

Set of 100 pcs.